

DK-US035114

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of	:	<b>ATTN: Certificate of</b>
	:	<b>Correction Branch</b>
Norio MAEDA et al.	:	
	:	Patent Art Unit: 3749
Patent No.: 7,377,053	:	
	:	Examiner: Jiping Lu
Issued: May 27, 2008	:	
	:	
FOR: METHOD AND DEVICE FOR	:	
DRYING SUBSTRATE	:	

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. §1.323**

Assistant Commissioner of Patents  
Washington, DC 20231

Sir:

Transmitted herewith is a Certificate of Correction for the above-identified Patent.

Enclosed is a check for \$100.00 to cover the petition fee of 37 C.F.R § 1.20(a).

Respectfully submitted,

/Patrick A. Hilsmier/  
Patrick A. Hilsmier  
Reg. No. 46,034

GLOBAL IP COUNSELORS, LLP  
1233 Twentieth Street, NW, Suite 700  
Washington, DC 20036  
(202)-293-0444  
Dated: June 27, 2008

# UNITED STATES PATENT AND TRADEMARK OFFICE

## CERTIFICATE OF CORRECTION

PATENT NO : 7,377,053

Page 1 of 1

DATED : May 27, 2008

INVENTOR(S) : Maeda et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

On the cover page change the listing of [73] Assignee from

"[73] Assignee:                   **Daikin Industries, Ltd., Osaka (JP)**"

to

-- [73] Assignee:                   **Daikin Industries, Ltd., Osaka (JP);  
Toho Kasei Ltd., Nara (JP) --**

PATENT NO. 7,377,053

MAILING ADDRESS OF SENDER (Please do not use customer number below):  
GLOBAL IP COUNSELORS, LLP  
1233 Twentieth Street, NW, Suite 700  
Washington, DC 20036

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.